



MOUNTING REFERENCE GUIDE

# VESA 75/100 Flat Panel with Keyboard/Mouse

CIM Cable Integrated Mounting System



THINK BEFORE  
YOU PRINT



# Content

<b>General notes</b>	<b>3</b>
<b>How to create part numbers</b>	<b>4</b>
<b>Product highlights</b>	<b>6</b>
<b>IT Lift system</b>	<b>7</b>
<b>Combi systems with ergonomic W-bracket</b>	<b>12</b>
Support arm pivot	13
Extended pivot arm heavy duty	15
Height adjustable arm	17
Extended height adjustable arm	19
<b>Combi systems with fold-up Z-bracket</b>	<b>21</b>
Support arm pivot	22
Extended pivot arm heavy duty	24
Height adjustable arm	26
Extended height adjustable arm	28
<b>Fixings</b>	<b>30</b>

## General notes

---

### Monitor adaptations

The monitor adaptation VESA 75/100 is provided with a spring for counter-balance.

### Components' grounding

All arms with integrated cable management are equipped with **component grounding**. No grounding is required for arms with external or semi-integrated cable management with cables not being led through joints.

### Load capacity

All **height adjustable arms** have a load capacity of 22 kg / 48.5 lbs. Rear mounted monitor adaptations and horizontally mounted 5" plunge plates accept a maximum monitor weight of 18 kg / 39.7 lbs. An additional 4 kg / 8.8 lbs may be mounted on a down post underneath the front swivel part. Depending on material and tensile factor all weight indications have a 4-fold and/ or 6-fold safety factor according to IEC 60601-1 standards.

### Custom-designed solutions and MRI applications

Please contact us for **custom-designed** solutions.

### Product marking

All products which are classified as medical product risk class 1 are CE marked. As **medical product risk class 1** they are conform with the regulations (EU) 2017/745 (MDR) and IEC 60601-1. Other standards of the IEC 60601 series are not applicable to our products, regardless of their version.

**MD** A stand-alone product that is already classified as a medical product class 1 before being integrated into an overall medical device. The product is CE-marked. A declaration of conformity is available.

**MD** Accessories or spare parts that have no independent function and are therefore not subject to the MDR. These products are not CE-marked. A declaration of conformity is not required.

### Warranty

All CIM products have a 5-year warranty to be free of defects in material and functionality from the date of delivery.



# How to create part numbers

Part numbers can be easily created by following the steps below:

Please replace the letters in **green** with the part no. code as per your requirements.

## 1. Components' grounding:

A = grounded

## 2. Choose the arm version required:

224F / 230F / 224M / 230M = support arm pivot  
 H33030F / H33030M = extended pivot arm heavy duty  
 431F / 431M = height adjustable arm  
 73130F / 73130M = extended height adjustable arm

## 3. Specify where you want to mount the arm and select the fixing (Y):

1V = pole ø 23 - 40 mm / 0.9 - 1.6"  
 1 = pole ø 25 mm / 1.0"  
 1B = pole ø 30 mm / 1.2"  
 1F = pole ø 35 mm / 1.4"  
 1C = pole ø 38 mm / 1.5"  
 2F = horizontal rails 10 x 25, 8 x 35, 10 x 30, 10 x 50 mm  
 3 = vertical rail 10 x 25 mm  
 4S = vertical wall channel  
 9 = Löwenstein Medical / ITD / mounting channel  
 13 = Mindray medical supply units  
 17 = Amico pendants & headwalls

## 4. Choose the colour requested for decorative parts (C):

gr = RAL 7024 (graphite grey)  
 bl = RAL 5013 (cobalt blue)

## 5. Choose the colour requested for the aluminium die-cast parts (D):

1 = RAL 9016 (traffic white)  
 2 = RAL 9002 (grey white)



## How to create part numbers

### 6. Specify the spring depending on the weight of your monitor/ device - only with height adjustable arms (X):

Please note that the weight range of the individual springs may vary depending on the bracket (X).

#### Pneumatic Springs Explained:

The weight ranges of the pneumatic springs shown in our catalogues relate to the minimum and maximum weights of the products that can be added to the arm, for a perfectly balanced solution. The weight ranges can vary with the same pneumatic springs, as the overall weights placed on the front of the arms have to be considered. The total weight not only reflects the actual monitor weight, but also includes monitor adaptations, brackets and/ or trays. When choosing the pneumatic spring, please consider the weight of your monitor/ device only.

#### W-Bracket

95	=	2.5 - 5.5 kg / 5.5 - 12.1 lbs
110	=	3.5 - 9.5 kg / 7.7 - 20.9 lbs
130	=	6 - 10 kg / 13.2 - 22 lbs
160	=	8 - 16 kg / 17.6 - 35.3 lbs
175	=	11 - 14 kg / 24.3 - 30.9 lbs
220	=	13 - 16 kg / 28.7 - 35.3 lbs

#### Z-Bracket

95	=	1.5 - 4.5 kg / 3.3 - 9.9 lbs
110	=	3 - 9 kg / 6.6 - 19.8 lbs
130	=	5 - 9 kg / 11 - 19.8 lbs
160	=	8 - 15 kg / 17.6 - 33.1 lbs
175	=	10 - 13 kg / 22 - 28.7 lbs
220	=	13.5 - 16.5 kg / 29.8 - 36.4 lbs

### 7. Specify the requested size of the keyboard tray and mouse (T):

Standard	Magnetic	With wrist rest	Dimensions
30	30S		300 x 210 mm / 11.8 x 8.3"
40	40S		400 x 150 mm / 15.7 x 5.9"
50	50S	50W	500 x 200 mm / 19.7 x 7.9"
58	58S	58W	580 x 200 mm / 22.8 x 7.9"
65	65S	65W	650 x 200 mm / 25.6 x 7.9"
RC			480 x 220 mm (retractable mouse tray left/right 226 mm / 8.9")

## Example

01 Grounding		02 Arm version		03 Fixing		04 & 05 Colour		06 Spring tension		07 Keyboard tray
A	-	431F	-	Y	.	CD	-	X	-	T
A	-	431F	-	4S	.	gr1	-	95	-	30

## Product highlights

---

### Non-height adjustable arm

Pivot and extended pivot arms offer **full cable integration** and easy cleaning for **infection control** in all critical care areas in the clinical environment. Our **5-years warranty** guarantees reliable, trouble-free and maintenance-free operation. The swivel function at the fixing point as well as the **tilt/ swivel function** of the monitor adaptation offers optimum positioning of your device. The extended pivot arm is a two-part arm with central pivot point between the two arm sections. All bottom-mounted monitors have the safety feature of a **20° tilt stop**.

### Height adjustable arm

The height adjustable arm offers **full cable integration**, one-wipe clean surfaces and our **5-year warranty** on the entirety of the product. Vertically and horizontally adjustable, the arm offers optimal positioning of your device. A constant viewing angle when vertically adjusted is guaranteed by a parallel linkage. **Weight-optimized springs counter-balance** the monitor without making any adjustments. All bottom-mounted monitors have the safety feature of a **20° tilt stop**. Individual rotational stops may be integrated in any joint.

To provide the perfect combination of arm and monitor, the CIM articulated height adjustable arm has a simple quarter-turn lock to hold the arm safely in position when removing the monitor. Furthermore the arm is equipped with the unique safety feature of a slow-release gas spring. Should anybody try to remove the monitor before locking the arm in position, the arm will only rise at a slow and even tempo.

**SAFETY**

# IT Lift system

MD



## Monitor adaptation

### Keyboard

## Height adjustment range

### Distance to wall

## Max. load monitor adaptation

### Balancing range X

## Part number

quick release base plate

58S: 580 x 200 mm / 22.8 x 7.9", magnetic

65S: 650 x 200 mm / 25.6 x 7.9", magnetic

300 mm / 11.8"

110 mm / 4.3" keyboard folded up

490 mm / 19.3" keyboard retracted

18 kg / 39.7 lbs

100: 100 N (4 - 10 kg / 8.8 - 22 lbs)

180: 180 N (10.5 - 18 kg / 23.2 - 39.7 lbs)

A-696Q.bl1\_X\_58S wall channel L 960 mm / 37.8"

A-696Q.bl1\_X\_65S wall channel L 960 mm / 37.8"

A-6120Q.bl1\_X\_58S wall channel L 1200 mm / 47.2"

A-6120Q.bl1\_X\_65S wall channel L 1200 mm / 47.2"

Z-QR-C.D quick release adapter plate VESA 75/75


Z-QR-G.D quick release adapter plate VESA 75/100

CPU dual clamp set only available for A-6120Q. Please refer to catalogue accessories.


# IT Lift system

## Technical data

SIDE VIEW



TOP VIEW





## Quick release adapter plate VESA

### VESA 75 Quick release adapter plate (Z-QR-C.D)

The adapter plate shown is mounted to the rear side of the monitor's hole pattern 75 x 75 mm (2.9 x 2.9"). The quick release adapter plate has to be ordered separately.



Product weight: 0.2 kg / 0.4 lbs



### VESA 75/ 100 Quick release adapter plate (Z-QR-G.D)

The adapter plate shown is mounted to the rear side of the monitor using either the 75 x 75 mm (2.9 x 2.9") or 100 x 100 mm (3.9 x 3.9") hole pattern. The quick release adapter plate has to be ordered separately.

Product weight: 0.2 kg / 0.4 lbs



## Dual IT Lift system

**MD**

**Monitor adaptation**
**Keyboard**

VESA 75/100

58S: 580 x 200 mm / 22.8 x 7.9", magnetic

65S: 650 x 200 mm / 25.6 x 7.9", magnetic

**Height adjustment range**
**Distance to wall**

300 mm / 11.8"

110 mm / 4.3"

keyboard folded up

490 mm / 19.3"

keyboard retracted

**Max. load monitor adaptation**
**Balancing range X**

8 kg / 17.6 lbs each VESA plate

100: 100 N (4 - 10 kg / 8.8 - 22 lbs)

180: 180 N (10.5 - 18 kg / 23.2 - 39.7 lbs)

**Part number**


A-D6120G.bl1\_X\_58S wall channel L 1200 mm / 47.2"

A-D6120G.bl1\_X\_65S wall channel L 1200 mm / 47.2"


# Dual IT Lift system

## Technical data

SIDE VIEW



TOP VIEW



## Combi systems with ergonomic W-bracket

---





# Support arm pivot with ergonomic W-bracket

MD



## Monitor / keyboard adaption

W-bracket VESA 75/100 and keyboard / mouse tray

## Colours to choose **CD**

decorative parts RAL 5013 cobalt blue / RAL 7024 graphite greyw  
aluminum parts RAL 9016 traffic white / RAL 9002 grey white

## Max. load capacity support arm

18 kg / 39.7 lbs

## Max. load monitor adaptation

18 kg / 39.7 lbs

## Product weight

arm type 240 3.4 - 5.0 kg / 7.5 - 11.0 lbs (according to dimensions of keyboard tray)  
arm type 300 3.6 - 5.1 kg / 7.9 - 11.2 lbs (according to dimensions of keyboard tray)

## Keyboard tray **T**

300 x 210 mm, 400 x 150 mm, 500 x 200 mm, 580 x 200 mm, 650 x 200 mm, 480 x 220 mm  
11.8 x 8.3", 15.7 x 5.9", 19.7 x 7.9", 22.8 x 7.9", 25.6 x 7.9", 18.9 x 8.7"

## Part number

arm type 240 arm type 300  
A-224F-Y.CD\_T A-230F-Y.CD\_T

## Fixings **Y**

details page 30




4S

Adapter for vertical wall channel



2F

Horizontal rail clamp



3

Vertical rail clamp



1V

Universal pole clamp



1  
1B  
1F  
1C

Fixed pole clamp




13

Adapter for Mindray medical supply units



17

Adapter for Amico pendants & headwalls




9

Adapter for Löwenstein Medical / ITD / mounting channel


# Support arm pivot with ergonomic W-bracket

Technical data - arm type 300, keyboard tray 500 x 200 mm / 19.7 x 7.9"

## SIDE VIEW



## TOP VIEW



# Extended pivot arm heavy duty with ergonomic W-bracket

MD



## Monitor / keyboard adaption

W-bracket VESA 75/100 and keyboard / mouse tray

## Colours to choose **CD**

decorative parts RAL 5013 cobalt blue / RAL 7024 graphite grey  
aluminum parts RAL 9016 traffic white / RAL 9002 grey white

## Max. load capacity support arm

18 kg / 39.7 lbs

## Max. load monitor adaptation

18 kg / 39.7 lbs

## Product weight

4.7 - 6.3 kg / 10.4 - 13.9 lbs (according to dimensions of keyboard tray)

## Keyboard tray **T**

300 x 210 mm, 400 x 150 mm, 500 x 200 mm, 580 x 200 mm, 650 x 200 mm, 480 x 220 mm  
11.8 x 8.3", 15.7 x 5.9", 19.7 x 7.9", 22.8 x 7.9", 25.6 x 7.9", 18.9 x 8.7"

## Part number

A-H33030F-Y.CD\_T

## Fixings **Y**

details page 30




4S

Adapter for vertical wall channel



2F

Horizontal rail clamp



3

Vertical rail clamp



1V

Universal pole clamp



1  
1B  
1F  
1C

Fixed pole clamp




13

Adapter for Mindray medical supply units



17

Adapter for Amico pendants & headwalls




9

Adapter for Löwenstein Medical / ITD / mounting channel


# Extended pivot arm heavy duty with ergonomic W-bracket

Technical data - keyboard tray 500 x 200 mm / 19.7 x 7.9"

## SIDE VIEW



## TOP VIEW





# Height adjustable arm with ergonomic W-bracket

MD



## Monitor adaption

W-bracket VESA 75/100 and keyboard / mouse tray

## Height adjustment

slow-flowing spring, parallel linkage for a constant viewing angle

## Colours to choose **CD**

decorative parts RAL 5013 cobalt blue / RAL 7024 graphite grey  
aluminum parts RAL 9016 traffic white / RAL 9002 grey white

## Max. load capacity support arm

18 kg / 39.7 lbs

## Max. load monitor adaptation

18 kg / 39.7 lbs

## Product weight

5.3 - 6.9 kg / 11.7 - 15.2 lbs (according to dimensions of keyboard tray)

## Balancing range **X**

950 N (2.5 - 5.5 kg / 5.5 - 12.1 lbs); 1100 N (3.5 - 9.5 kg / 7.7 - 20.9 lbs);  
1300 N (6 - 10 kg / 13.2 - 22 lbs); 1600 N (8 - 16 kg / 17.6 - 35.3 lbs);  
1750 N (11 - 14 kg / 24.3 - 30.9 lbs); 2200 N (13 - 16 kg / 28.7 - 35.3 lbs)

## Keyboard tray **T**

300 x 210 mm, 400 x 150 mm, 500 x 200 mm, 580 x 200 mm, 650 x 200 mm, 480 x 220 mm  
11.8 x 8.3", 15.7 x 5.9", 19.7 x 7.9", 22.8 x 7.9", 25.6 x 7.9", 18.9 x 8.7"

## Part number

A-431F-Y.CD\_X\_T

## Fixings **Y**

details page 30




4S

Adapter for  
vertical wall channel



2F

Horizontal rail clamp



3

Vertical rail clamp



1V

Universal pole clamp



1  
1B  
1F  
1C

Fixed pole clamp




13

Adapter for Mindray  
medical supply units



17

Adapter for Amico  
pendants & headwalls




9

Adapter for Löwenstein Medical /  
ITD / mounting channel


# Height adjustable arm with ergonomic W-bracket

Technical data - keyboard tray 500 x 200 mm / 19.7 x 7.9"

## SIDE VIEW



## TOP VIEW



# Extended height adjustable arm with ergonomic W-bracket

MD



## Monitor adaption

W-bracket VESA 75/100 and keyboard / mouse tray

## Height adjustment

slow-flowing spring, parallel linkage for a constant viewing angle

## Colours to choose **CD**

decorative parts RAL 5013 cobalt blue / RAL 7024 graphite grey  
aluminum parts RAL 9016 traffic white / RAL 9002 grey white

## Max. load capacity support arm

18 kg / 39.7 lbs

## Max. load monitor adaptation

18 kg / 39.7 lbs

## Product weight

6.4 - 8.0 kg / 14.1 - 17.6 lbs (according to dimensions of keyboard tray)

## Balancing range **X**

950 N (2.5 - 5.5 kg / 5.5 - 12.1 lbs); 1100 N (3.5 - 9.5 kg / 7.7 - 20.9 lbs);  
1300 N (6 - 10 kg / 13.2 - 22 lbs); 1600 N (8 - 16 kg / 17.6 - 35.3 lbs);  
1750 N (11 - 14 kg / 24.3 - 30.9 lbs); 2200 N (13 - 16 kg / 28.7 - 35.3 lbs)

## Keyboard tray **T**

300 x 210 mm, 400 x 150 mm, 500 x 200 mm, 580 x 200 mm, 650 x 200 mm, 480 x 220 mm  
11.8 x 8.3", 15.7 x 5.9", 19.7 x 7.9", 22.8 x 7.9", 25.6 x 7.9", 18.9 x 8.7"

## Part number

A-73130F-Y.CD\_X\_T

## Fixings **Y**

details page 30




4S

Adapter for  
vertical wall channel



2F

Horizontal rail clamp



3

Vertical rail clamp



1V

Universal pole clamp



1  
1B  
1F  
1C

Fixed pole clamp




13

Adapter for Mindray  
medical supply units



17

Adapter for Amico  
pendants & headwalls




9

Adapter for Löwenstein Medical /  
ITD / mounting channel


# Extended height adjustable arm with ergonomic W-bracket

Technical data - keyboard tray 500 x 200 mm / 19.7 x 7.9"

## SIDE VIEW



## TOP VIEW





## Combi systems with fold-up Z-bracket

---



# Support arm pivot with fold-up Z-bracket

MD



## Monitor / keyboard adaption

Z-bracket VESA 75/100 and keyboard / mouse tray

## Colours to choose CD

decorative parts RAL 5013 cobalt blue / RAL 7024 graphite grey  
aluminum parts RAL 9016 traffic white / RAL 9002 grey white

## Max. load capacity support arm

17 kg / 37.5 lbs

## Max. load monitor adaptation

17 kg / 37.5 lbs

## Product weight

arm type 240 4.9 - 5.9 kg / 10.8 - 13.0 lbs (according to dimensions of keyboard tray)  
arm type 300 5.0 - 6.0 kg / 11.0 - 13.2 lbs (according to dimensions of keyboard tray)

## Keyboard tray T

300 x 210 mm, 400 x 150 mm, 500 x 200 mm, 580 x 200 mm, 650 x 200 mm, 480 x 220 mm  
11.8 x 8.3", 15.7 x 5.9", 19.7 x 7.9", 22.8 x 7.9", 25.6 x 7.9", 18.9 x 8.7"

## Part number

arm type 240 arm type 300  
A-224M-Y.CD\_T A-230M-Y.CD\_T

## Fixings Y

details page 30




4S

Adapter for vertical wall channel



2F

Horizontal rail clamp




3

Vertical rail clamp



1V

Universal pole clamp



1  
1B  
1F  
1C

Fixed pole clamp




13

Adapter for Mindray medical supply units



17

Adapter for Amico pendants & headwalls




9

Adapter for Löwenstein Medical / ITD / mounting channel


# Support arm pivot with fold-up Z-bracket

Technical data - arm type 300, keyboard tray 500 x 200 mm / 19.7 x 7.9"

## SIDE VIEW



## TOP VIEW



# Extended pivot arm heavy duty with fold-up Z-bracket

MD



## Monitor / keyboard adaption

Z-bracket VESA 75/100 and keyboard / mouse tray

## Colours to choose **CD**

decorative parts RAL 5013 cobalt blue / RAL 7024 graphite grey  
aluminum parts RAL 9016 traffic white / RAL 9002 grey white

## Max. load capacity support arm

17 kg / 37.5 lbs

## Max. load monitor adaptation

17 kg / 37.5 lbs

## Product weight

6.2 - 7.2 kg / 13.7 - 15.9 lbs (according to dimensions of keyboard tray)

## Keyboard tray **T**

300 x 210 mm, 400 x 150 mm, 500 x 200 mm, 580 x 200 mm, 650 x 200 mm, 480 x 220 mm  
11.8 x 8.3", 15.7 x 5.9", 19.7 x 7.9", 22.8 x 7.9", 25.6 x 7.9", 18.9 x 8.7"

## Part number

A-H33030M-Y.**CD**\_T

## Fixings **Y**

details page 30




4S

Adapter for vertical wall channel



2F

Horizontal rail clamp



3

Vertical rail clamp



1V

Universal pole clamp



1  
1B  
1F  
1C

Fixed pole clamp




13

Adapter for Mindray medical supply units



17

Adapter for Amico pendants & headwalls




9

Adapter for Löwenstein Medical / ITD / mounting channel


# Extended pivot arm heavy duty with fold-up Z-bracket

Technical data - keyboard tray 500 x 200 mm / 19.7 x 7.9"

## SIDE VIEW



## TOP VIEW





# Height adjustable arm with fold-up Z-bracket

MD



## Monitor adaption

Z-bracket VESA 75/100 and keyboard / mouse tray

## Height adjustment

slow-flowing spring, parallel linkage for a constant viewing angle

## Colours to choose **CD**

decorative parts RAL 5013 cobalt blue / RAL 7024 graphite grey  
aluminum parts RAL 9016 traffic white / RAL 9002 grey white

## Max. load capacity support arm

17 kg / 37.5 lbs

## Max. load monitor adaptation

17 kg / 37.5 lbs

## Product weight

6.7 - 7.8 kg / 14.8 - 17.2 lbs (according to dimensions of keyboard tray)

## Balancing range **X**

950 N (1.5 - 4.5 kg / 3.3 - 9.9 lbs); 1100 N (3 - 9 kg / 6.6 - 19.8 lbs);  
1300 N (5 - 9 kg / 11 - 19.8 lbs); 1600 N (8 - 15 kg / 17.6 - 33.1 lbs);  
1750 N (10 - 13 kg / 22 - 28.7 lbs); 2200 N (13.5 - 16.5 kg / 29.8 - 36.4 lbs)

## Keyboard tray **T**

300 x 210 mm, 400 x 150 mm, 500 x 200 mm, 580 x 200 mm, 650 x 200 mm, 480 x 220 mm  
11.8 x 8.3", 15.7 x 5.9", 19.7 x 7.9", 22.8 x 7.9", 25.6 x 7.9", 18.9 x 8.7"

## Part number

A-431M-**Y****CD**\_X\_**T**

## Fixings **Y**

details page 30




4S

Adapter for  
vertical wall channel



2F

Horizontal rail clamp



3

Vertical rail clamp



1V

Universal pole clamp



1  
1B  
1F  
1C

Fixed pole clamp




13

Adapter for Mindray  
medical supply units



17

Adapter for Amico  
pendants & headwalls




9

Adapter for Löwenstein Medical /  
ITD / mounting channel


# Height adjustable arm with fold-up Z-bracket

Technical data - keyboard tray 500 x 200 mm / 19.7 x 7.9"

## SIDE VIEW



## TOP VIEW



# Extended height adjustable arm with fold-up Z-bracket

MD



## Monitor adaption

Z-bracket VESA 75/100 and keyboard / mouse tray

## Height adjustment

slow-flowing spring, parallel linkage for a constant viewing angle

## Colours to choose **CD**

decorative parts RAL 5013 cobalt blue / RAL 7024 graphite grey  
aluminum parts RAL 9016 traffic white / RAL 9002 grey white

## Max. load capacity support arm

17 kg / 37.5 lbs

## Max. load monitor adaptation

17 kg / 37.5 lbs

## Product weight

7.8 - 8.8 kg / 17.2 - 19.4 lbs (according to dimensions of keyboard tray)

## Balancing range **X**

950 N (1.5 - 4.5 kg / 3.3 - 9.9 lbs); 1100 N (3 - 9 kg / 6.6 - 19.8 lbs);  
1300 N (5 - 9 kg / 11 - 19.8 lbs); 1600 N (8 - 15 kg / 17.6 - 33.1 lbs);  
1750 N (10 - 13 kg / 22 - 28.7 lbs); 2200 N (13.5 - 16.5 kg / 29.8 - 36.4 lbs)

## Keyboard tray **T**

300 x 210 mm, 400 x 150 mm, 500 x 200 mm, 580 x 200 mm, 650 x 200 mm, 480 x 220 mm  
11.8 x 8.3", 15.7 x 5.9", 19.7 x 7.9", 22.8 x 7.9", 25.6 x 7.9", 18.9 x 8.7"

## Part number

A-73130M-Y.CD\_X\_T

## Fixings **Y**

details page 30




4S

Adapter for  
vertical wall channel



2F

Horizontal rail clamp



3

Vertical rail clamp



1V

Universal pole clamp



1  
1B  
1F  
1C

Fixed pole clamp




13

Adapter for Mindray  
medical supply units



17

Adapter for Amico  
pendants & headwalls




9

Adapter for Löwenstein Medical /  
ITD / mounting channel


# Extended height adjustable arm with fold-up Z-bracket

Technical data - keyboard tray 500 x 200 mm / 19.7 x 7.9"

## SIDE VIEW











## TOP VIEW



## Fixings



Illustration	Description	Notes	Weight	Part no.
	Adapter for vertical wall channel	To mount to CIM wall channel (compatible with GCX channel) Please order separately: CIM wall channel, see catalogue accessoires	0.6 kg / 1.3 lbs	4S
	Horizontal rail clamp	To mount to horizontal European rails 10 x 25, 8 x 35, 10 x 30, 10 x 50 mm	1.1 kg / 2.4 lbs	2F
	Vertical rail clamp	To mount to vertical European rail 10 x 25 mm	0.5 kg / 1.1 lbs	3
	Universal pole clamp	V-block to mount to pole $\varnothing$ 23 - 40 mm / 0.9 - 1.6"	0.6 kg / 1.3 lbs	1V
	Fixed pole clamp	To mount to pole $\varnothing$ 25 mm / 1.0" To mount to pole $\varnothing$ 30 mm / 1.2" To mount to pole $\varnothing$ 35 mm / 1.4" To mount to pole $\varnothing$ 38 mm / 1.5"	0.3 kg / 0.7 lbs 0.4 kg / 0.9 lbs 0.4 kg / 0.9 lbs 0.4 kg / 0.9 lbs	1 1B 1F 1C
	Adapter medical supply units	For Mindray medical supply units	0.8 kg / 1.8 lbs	13
	Adapter pendants & headwalls	For Amico pendants & headwalls	0.6 kg / 1.3 lbs	17
	Adapter pendants & headwalls	For Löwenstein Medical / ITD / mounting channels	0.4 kg / 0.9 lbs	9





**CIM med GmbH**

Euro-Industriepark  
Margot-Kalinke-Str. 9  
80939 Munich / Germany

T +49 89. 978 94 08-0

---

**CIM med Inc.**

2024 E Independence Commerce Dr  
Matthews, NC 28105 / USA

T +1 855 895 4722

---

[info@cim-med.com](mailto:info@cim-med.com)  
[www.cim-med.com](http://www.cim-med.com)

